


NOTE:
ALL DEPTHS
EXPRESSED AS
MINIMUM COVER

ELEC/COMMUNICATIONS
Ø35, Ø50 or Ø100
(DISTRIBUTION)
COMMON TRENCH
REFER NOTE 3

GAS: Ø50

WATER SERVICE
CONNECTIONS TO
WATERMAIN ≤ Ø150




■ 1200 MINIMUM COVER
FOR MAJOR ROADS

SERVICE CONDUIT CROSSINGS
COVER UNDER ROADS
SECTION A

REFER STANDARD DRAWING 8-00392


NOTE:
750 CORRIDOR BEHIND
B.O.K. FOR TREES/POLES



**WATER OR GAS
SERVICE SECTION**

REFER STANDARD DRAWING 8-00392


NOTE:
750 CORRIDOR BEHIND
B.O.K. FOR STREET TREES
AND STREET LIGHT POLES



COVER UNDER VERGES
SECTION B

REFER STANDARD DRAWING 8-00392

20mm GAS SERVICE
(DEPTH SHOWN IF
ELECTRICITY PRESENT)




**ELECTRICITY & TELECOMMUNICATIONS
SERVICE SECTION**

REFER STANDARD DRAWING 8-00392

NOTES

1. REFER ENERGEX STANDARD DRAWING No. 6229-A4 FOR ELECTRICITY CONDUIT SIZES
2. MINIMUM COVER UNDER ROADS FOR ELECTRICAL CONDUITS TO BE 750mm FOR ACCESS ROADS AND 1200mm FOR MAJOR ROADS (COLLECTOR & ABOVE).
3. VARIOUS CONFIGURATIONS OF TRENCH WIDTH AND CONDUIT NUMBERS/DIAMETERS EXIST FOR BOTH ELECTRICITY AND COMMUNICATIONS. REFER TO RELEVANT SERVICE AUTHORITY STANDARD DRAWINGS FOR COMMON TRENCH ARRANGEMENT.
4. REFER TO SEQ WATER SUPPLY AND SEWERAGE DESIGN AND CONSTRUCTION CODE FOR COVER AND CROSSING DETAILS FOR BURIED WATERMAINS UNDER MAJOR AND MINOR ROADWAYS.
5. DIMENSIONS ARE IN MILLIMETRES UNLESS SHOWN OTHERWISE.

F			
E			
D			
C			
B			
A			
AMENDMENTS		DATE	APPROVED

DRAWN	JW	CHECKED	LJC
APPROVED FOR ISSUE			
 ROAD INFRASTRUCTURE DELIVERY MANAGER			13/11/15 DATE

© LOGAN CITY COUNCIL
DISCLAIMER.
THE AUTHORS SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO THE USER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED, DIRECTLY OR INDIRECTLY, BY THE ADOPTION AND USE OF THESE STANDARD DRAWINGS INCLUDING, BUT NOT LIMITED TO, ANY INTERRUPTION OF SERVICE, LOSS OF BUSINESS OR ANTICIPATORY PROFITS, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THESE STANDARD DRAWINGS. PERSONS MUST NOT RELY ON THESE STANDARD DRAWINGS AS THE EQUIVALENT OF, OR A SUBSTITUTE FOR, PROJECT SPECIFIC DESIGN AND ASSESSMENT BY AN APPROPRIATELY QUALIFIED PROFESSIONAL.



STANDARD DRAWING
PUBLIC UTILITIES
TYPICAL SERVICES SECTIONS

SCALE	NTS
TRANSPORT INFRASTRUCTURE	
1	Of 1 Plans
DRAWING No.	
8	00393