

Trade Waste Charging Rates Summary 2023-24



BASE CHARGES

Tier	Annual Charge	Quarter Charge	Connection
Tier 1	\$432.92	\$108.23	Category 1
Tier 2	\$739.24	\$184.81	Categories 2 to 6

VOLUMETRIC CHARGES

Table 1: Volumetric Charges 2023-24

Category	Unit	Rate	Excess Pollutants	Analysis Charges
Category 1 – Low Strength	No	No	No	No
Category 2 – Medium Strength	Kilolitre	\$1.7624	No	No
Category 3 – High Strength	Kilolitre	\$3.6005	No	No
Category 4 – Very High Strength	Kilolitre	\$5.6145	No	No
Category 5 – Special	Kilolitre	\$1.7624	Table 2	Table 3
Category 6 – Cooling Towers	Kilolitre	\$1.3219	No	No

Table 2: Excess Pollutant Rates 2023-24

Pollutants	Unit	Rate
Biochemical Oxygen Demand	Kilogram	\$3.2468
Chemical Oxygen Demand	Kilogram	\$1.1873
Non-Filterable Residue	Kilogram	\$4.1041
Total Oil & Grease	Kilogram	\$2.9147
Other Pollutants	Kilogram	\$2.9147

Trade Waste Charging Rates Summary 2023-24



Table 3: Analysis Charges 2023-24

Analysis Category	Unit	Rate
Standard	Each	\$358.03
Non-Standard	Each	\$287.12

HYDROGEN SULPHIDE CHARGES

Where Council determines an approved trade waste connection produces levels of Hydrogen Sulphide in excess of the limits detailed in the *Sewer Admission Standards*, the following charges will be applied.

Additional Base Charge

An additional base charge of \$4,000 per annum will apply to the connection in addition to the standard base charge.

Exceedance Charge

Where the connection produces Hydrogen Sulphide at a level whereby the eight hour time-weighted average exceeds 10ppm during any day, then an exceedance charge of \$1,320 per day will apply.

ADDITIONAL INFORMATION

The *Trade Waste Charging Framework & Rates 2023/24* provides detailed information in relation to all trade waste charges. This document can be found on Council's website www.logan.qld.gov.au.